Reg No.:_____

Name:_____

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY THIRD SEMESTER B.TECH DEGREE EXAMINATION(S), MAY 2019

Course Code: EE201

Course Name: CIRCUITS AND NETWORKS

Max. Marks: 100

Duration: 3 Hours

PART A Answer all questions, each carries5 marks.

Marks

1 Find the current flowing through the 5Ω resistor shown in figure 1 if all active (5) elements are ideal.



- 116.1
- 2 Sketch the network graph if the incidence matrix is as represented below:

Nodes	Branches				
	1	2	3	4	5
1	1	0	0	0	1
2	-1	1	0	1	0
3	0	-1	1	0	0
4	0	0	-1	-1	-1

- 3 A resistance R and 5µF capacitor are connected in series across a 100V dc (5) supply. Calculate the value of R such that the voltage across the capacitor becomes 50V in 5s after the circuit is switched on.
- 4 In an RL series circuit, R=5 Ω , L=2.5mH and i(0⁻)=2A. If a source of 50V is (5) applied at t=0, find i(t) for t>0, using Laplace transformation.
- 5 For the network shown in figure 2, determine the transfer function $Z_{21}(s)$ and the (5) driving point admittance function $Y_{11}(s)$.





6Derive the expression of z- parameters in terms of y- parameters.(5)7Explain the differences between Cauer form and Foster form.(5)8Check whether the polynomial $s^4 + 6s^3 + 2s^2 + s + 1$ is Hurwitz or not.(5)

PART B Answer any two full questions, each carries10 marks.

9 Use superposition theorem to find the current, I in the circuit shown in fig. 3 (10)







(10)

11 Solve for the current I in the figure 5 using Norton's Theorem.



PART C Answer any two full questions, each carries10 marks.

- 12 a) A series RC circuit with R=10 Ω and C=4 μ F has an initial charge Q₀=800 μ C on (10) the capacitor. At t=0, the switch is closed to apply a constant dc voltage source of 100V. Sketch the transformed circuit. Find the resulting current transient if the charge on the capacitor has the same polarity as deposited by the source.
- 13 a) In the network shown in figure 6, the switch is opened at t= 0. Find out the (10) current through the 1 Ω resistor after opening the switch.



14 a) In the RL circuit shown in figure 7, the switch is in position 1 long enough to (10) establish steady state conditions and at t=0, it is switched to position 2. Find the resulting current.



PART D



15 a) Find the Z and Y parameters of the given π - network.

(10)



16

Find the first and second order Cauer forms of the function, $z(s) = \frac{2s^2 + 8s + 6}{s^2 + 2s}$ (10)

17 Find the two canonical Foster networks with elements for the impedance (10) function, Z(s) given by $Z(s) = \frac{(s+1)(s+3)}{s(s+2)}$
