B C2B001 Pages:2

# APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

SECOND SEMESTER MCA DEGREE EXAMINATION, MAY 2017

Course Code: RLMCA104 Course Name: DATA STRUCTURES

Max. Marks: 60 Duration: 3 Hours

#### **PART A**

# Answer All Questions, Each Carries 3 Marks

- Convert the given infix expression to prefix and postfix (A-B)^C^D\*E+F-G/H
- 2. How can you overcome the limitations of a linear queue when implemented as an array?
- 3. How can you represent a sparse matrix using linked list?
- 4. Write an algorithm to delete an element from a doubly linked list in a given position.
- 5. Show that maximum no. of nodes possible in a binary tree of height h is 2<sup>h</sup>-1.
- 6. Define a minimum spanning tree for a graph .Give an example.
- 7. What is the running time of insertion sort if all keys are equal?
- 8. Is Bubble Sort a stable sort algorithm? Justify your answer.

#### PART B

# Answer Any One Question from Each Module, Each Carries 6 Marks

#### **MODULE I**

- 9. (i) Devise a formula to calculate memory location for each element in a three dimensional array
  - 1. Row major order 2. Column Major Order (2)
  - (ii) How can you find out the time complexity of an algorithm which checks whether a matrix is diagonal or not. (4)

OR

10. (i) Define Asymptotic Notations.

- (3)
- (ii) How can asymptotic notations be used to represent time complexity?

(3)

#### **MODULE II**

11. Write an algorithm to check for balanced parentheses in C language using stack.

OR

B C2B001 Pages:2

12. Write a recursive algorithm using stack to list out all prime factors of a given number in ascending order.

# **MODULE III**

13. (i) Write an algorithm to delete an element from a linked queue. (4)

(ii) Write any two representations of a priority queue.

(2)

OR

14. Write an algorithm that reverses all the elements in a queue using stack.

#### **MODULE IV**

15. Write an algorithm to add two polynomials using linked list. What is the time complexity of the algorithm if the polynomials have M and N terms respectively?

OR

16. Given two sorted lists L1 and L2. Write an algorithm to compute L1  $\cap$  L2 using only the basic list operations.

#### **MODULE V**

17. (i) Define a Binary Search Tree.

(2)

- (ii) Show the result of inserting 3, 1, 5, 6, 10, 2, 5, 8 into an initial empty binary search tree. (2)
- (iii) Show the result of deleting the root.

(2)

OR

18. Write an algorithm to solve the single source shortest path problem with an example.

# **MODULE VI**

19. (i) Show how heapsort processes the input 14,54,12,6,45,88,57,43,11

(4)

- (ii)What is the running time of heapsort algorithm for
- 1) Sorted input in ascending order 2) sorted input in descending order

(2)

OR

20. Write a recursive algorithm for merge sorting .What is the worst case complexity of that algorithm?

\*\*\*